

# The SMBX1...64 \*.LVL file specification

*Reverse-engined by Wohlstand 02/12/2014*

*Updated 02/03/2020 to clarify with the source code*

Level file is a TEXT file. All parameters are written sequentially with separating by CRLF new-line character (This file format requires CRLF line feed only and LF-only file will cause crash of SMBX).

## Introduction

### Standard parameters:

|                                   |  |
|-----------------------------------|--|
| Standard size of one block        | 32x32 pixels   |
| Possible on screen display height | 19 blocks  |
| Possible on screen display width  | 25 blocks  |
| Height of screen                  | 600 pixels (19 blocks without 8 pixels)                        |
| Width of screen                   | 800 pixels (25 blocks)   |
| Max level space size:             | 419998×419998 pixels (but it is allowed to come out of limits) |

### Limits of objects on one level map:

|                     |       |
|---------------------|-------|
| Blocks:             | 20000 |
| NPCs:               | 5000  |
| Background objects: | 8000  |
| Doors:              | 200   |

## Level coordinate space

All elements of a level: blocks, Background Objects (BGOs), NPC's, warp points, liquid zones, playable characters start points, are in united space which dividing to 21 section (for file formats older 8 are 6 sections). Coordinate system has a pixels units.

X axis is directed from left to right.


Y axis is directed from up to down.

Minimal and maximal values of X and Y are equal to "Double" C/C++ type.

Each section is declared by the position of each side of the section.

height and width can be calculated with a formula:

$$W = |L-R| \quad H = |T-B|$$





### The coordinates of an object's placement is set concerning its upper left corner:

In this example, the mushroom's coordinates on the current section is: X=2150; Y=2600

and the block coordinates are:  $X=2150$ ;  $Y=2632$

**Remember!**

As the Y axis is turned to move an object down, it is necessary to add to the Y offset and to move up, it is necessary to subtract.



## File Format Specification

### Structure

- [header]
- [sections settings]
- [player's start points]
- [blocks on level]
- “next”
- [background tiles]
- “next”
- [NPS's options]
- “next”
- [Warps/Doors options]
- “next”
- [Water/Quicksand]
- “next”
- [Layers]
- “next”
- [Events]

### The reference designations:

- standard parameter
- **Comment title**
- Comment description
- **loop**
- **variable**
- *Special option, used only under special conditions, differently is absent*
- **The option isn't known yet**
- **File format version limit**
- Data type

### **File format version:**

*The version number of the file format defines data present or absent in the file.*

---

--File begin--

**First 3th lines (Header):**

| Parameter    | Description  |
|--------------|--|
| 64           | (unsigned int) File format number (last in SMBX is 64)     |
| 0            | (unsigned int) number of stars on this level ( $\geq 17$ ) |
| "Level name" | (string) Level title ( $\geq 60$ )                         |

**Section properties**

| (loop 21 times) (if $\leq 7$ , loop 6 times) |  |
|--|--|
| -200000                                      | (long) Left size (-left/+right)  |
| -200768                                      | (long) Top size (-down/+up)  |
| -200000                                      | (long) Bottom size (full screen is -200600 -down/+up)  |
| -199200                                      | (long) Right size (full screen is -199200 +left/-right)  |
| 24   | (unsigned int) Music number (24 is enable custom music file)   |
| 16291944                                     | (long) Background color ( <i>In old versions editors</i> )<br>[0] = black, [16291944] = blue, [10520656] = dark blue-green |
| #FALSE#                                      | (bool) Is Level wrap   |
| #TRUE#                                       | (bool) enable Off Screen exit  |
| 13   | (unsigned int) Background number   |
| #FALSE#                                      | (bool) No turn back ( $\geq 1$ )   |
| #TRUE#                                       | (bool) Under water ( $\geq 30$ )   |
| "somefile.mp3"                               | (string) Custom music file ( $\geq 2$ )  |
| (End loop)                                   |  |

**Note:** Format 0 is an intro.dat file of SMBX 1.0

**Player start points**

|         |  |
|---------|--|
| -199996 | (long) First player Position x (+left/-right) (0 – player point isn't set)   |
| -200600 | (long) First player Position y (+up/-down) (0 – player point isn't set)      |
| 24      | (unsigned int) Width of character (0 – is is first player point isn't set)   |
| 54      | (unsigned int) Height of character (0 – is is first player point isn't set)  |
| -199242 | (long) Second player Position x (0 – player point isn't set)                 |
| -200068 | (long) Second player Position y (0 – player point isn't set)                 |
| 24      | (unsigned int) Width of character (0 – is is second player point isn't set)  |
| 60      | (unsigned int) Height of character (0 – is is second player point isn't set) |

## Blocks

Description of the blocks placed on a map:

| (Loop = how many blocks are in this level) |  |
|--|--|
| -241408                                    | (long) Block position x  |
| -180512                                    | (long) Block position y  |
| 32   | (unsigned int) Height  |
| 32   | (unsigned int) Width   |
| 63   | (unsigned int) Block ID  |
| 0  | (unsigned int) Containing NPC number 0 – empty, 1-99 coins, or 1000+npc_id – NPC.<br><b>Note:</b> SMBX1 and SMBX2 formats (<18) have a special values of NPC-ID: 100 => 9, 101 => 1, 102 => 14, 103 => 34, 104 => 35<br>Coin number same which in newer formats. |
| #FALSE#                                    | (bool) Invisible   |
| #TRUE#                                     | (bool) Slippery ( <span style="background-color: #e0ffe0;">(&gt;=61)</span> )  |
| "Default"                                  | (string) Layer name ( <span style="background-color: #e0ffe0;">(&gt;=10)</span> )  |
| "BlockDestroy"                             | (string) Block destroy event name ( <span style="background-color: #e0ffe0;">(&gt;=14)</span> )  |
| "hitme"                                    | (string) Block hit event name ( <span style="background-color: #e0ffe0;">(&gt;=14)</span> )  |
| "NoMore"                                   | (string) "No more object in layer" event ( <span style="background-color: #e0ffe0;">(&gt;=14)</span> )   |
| (Loop end)                                 |  |

*Note:* Array must be sorted by x and by y;

### Marker between Backgrounds and blocks:

"next"

### Background objects description:

| (Loop = how many backgrounds are in this level) |   |
|---|---|
| -199808   | (long) Position x   |
| -200480   | (long) Position y   |
| 15  | (unsigned int) Background-1 number  |
| "Default"                                       | (string) Layer name ( <span style="background-color: #e0ffe0;">(&gt;=10)</span> ) |
| (Loop end)                                      |   |

*Note:* Array must be sorted by x and by y and grouped by special priory by ID;

### Marker between NPC and Backgrounds:

"next"

### NPC descriptions:

| <b>(Loop = how many NPCs are in this level)</b> |  |
|---|--|
| -199966   | (long) Position x  |
| -200480   | (long) Position y  |
| -1  | (int) [-1] left, [0] random/none, [1] right  |
| 91  | (unsigned int) NPC number  |
| 71  | (int) <i>Special option:</i> ( $\geq 15$ for NPC76 and $\geq 30$ for NPC28)                      |
|   | Included NPC: used only if the NPC is<br>Buuble(283)/Burred(91)/Lakitu(284)/Egg(96)              |
|   | CoopaTroopa algorithm: (NPC-76, 121, 122, 123, 124, 161, 176, 177) and Paragoombas: NPC-243, 244 |
|   | 0 chase, 1 jump, 2 hover L/R, 3 hover U/D, >4 idle in air  |
|   | Cheep-cheep algorithm: (NPC-28, 229, 230, 232, 233, 234, 236)                                    |
|   | 0 Swim, 1 jump, 2 projective, 3 swim L/R, 4 swim U/D   |
|   | Firebar position (NPC 260) 0-32  |
|   | Warp to section: -1-20 (Section number -1) (NPC-288, 289)  |
| 12  | (int) <i>Second special option:</i> (Only for NPC-91 with special=288)                           |
|   | Section number for included magic potion: -1-20  |
| #FALSE#   | (bool) Generator enable ( $\geq 3$ )   |
| 3   | (int) <i>Special:</i> Generator direction: [1] up, [2] left, [3] down, [4] right ( $\geq 3$ )    |
| 2   | (int) <i>Special:</i> Generator type [1] Warp, [2] Projective ( $\geq 3$ )                       |
| 155   | (unsigned int) <i>Special:</i> Generator period ( sec*10 ) [1-600] ( $\geq 3$ )                  |
| ""  | (string) Message by this NPC talkative ( $\geq 5$ )  |
| #FALSE#   | (bool) Friendly NPC ( $\geq 6$ )   |
| #FALSE#   | (bool) Don't move NPC ( $\geq 6$ )   |
| #FALSE#   | (bool) Legacy Boss ( $\geq 9$ )  |
| "Default"                                       | (string) Layer name ( $\geq 10$ )  |
| "Activate"                                      | (string) Activate event ( $\geq 10$ )  |
| "GOLDcoin D"                                    | (string) Death event ( $\geq 10$ )   |
| "Talk"  | (string) Talk event ( $\geq 10$ )  |
| "NoMoreObj"                                     | (string) No more object in layer event ( $\geq 14$ )   |
| "AttachToLayer"                                 | (string) Layer name to attach ( $\geq 63$ )  |
| <b>(Loop end)</b>                               |  |

**Marker between NPC and Doors:**

"next"

**Doors description:**

| <b>(Loop = how many doors are in this level)</b> |   |
|--|---|
| -199824  | (long) Entrance position x  |
| -200224  | (long) Entrance position y  |
| -199824  | (long) Exit position x  |
| -200224  | (long) Exit position y  |
| 3  | (unsigned int) Entrance direction: [3] down, [1] up, [2] left, [4] right  |
| 3  | (unsigned int) Exit direction: [1] down [3] up [4] left [2] right         |
| 1  | (unsigned int) Door type: [1] pipe, [2] door, [0] instant                 |
| "file.lv1"                                       | (string) Warp to level ( $\geq 3$ )                                       |
| 0  | (unsigned int) Normal Entrance [0] / Target Warp ID [1-100] ( $\geq 3$ )  |
| #FALSE#  | (bool) Level Entrance (Can not enter) ( $\geq 3$ )                        |
| #FALSE#  | (bool) Level Exit (End of level) ( $\geq 4$ )                             |
| -1   | (long) Warp to X on world map (-1 is empty) ( $\geq -4$ )                 |
| -1   | (long) Warp to Y on world map (-1 is empty) ( $\geq -4$ )                 |
| 5  | (unsigned int) Need a stars for enter ( $\geq 7$ )                        |
| "Default"  | (string) Layer name ( $\geq 12$ )   |
| #FALSE#  | (bool) <unused>, always FALSE (Called as "Hidden by layer") ( $\geq 12$ ) |
| #FALSE#  | (bool) No Yoshi ( $\geq 23$ )   |
| #FALSE#  | (bool) Allow NPC ( $\geq 25$ )  |
| #FALSE#  | (bool) Locked ( $\geq 26$ )   |
| <b>(Loop end)</b>                                |   |

**Marker between Doors and water/quicksand:**

"next" ( $\geq 10$ )

**Water/Quicksand descriptions:**

( $\geq 29$ ), else skip section

| <b>(Loop = how many water ranges are in this level)</b> |   |
|---|---|
| -159968   | (long) Position X                             |
| -160096   | (long) Position Y                             |
| 160   | (unsigned long) Width                         |
| 64  | (unsigned long) Height                        |
| 0   | (float) <unused>, always 0 (called as "Buoy") |
| #TRUE#  | (bool) Is Quicksand, else Water ( $\geq 62$ ) |
| "Default"   | (string) Layer name                           |
| <b>(Loop end)</b>                                       |   |

**Marker between water/quicksand and layers:**

"next" ( $\geq 10$ )

**Layers descriptions:**

( $\geq 10$ ), else skip section

| <b>(Loop = how many layers are in this level)</b> |                        |
|---|------------------------|
| "Default"   | (string) Layer name    |
| #FALSE#   | (bool) Is Hidden layer |
| <b>(Loop end)</b>                                 |                        |

**Marker between layers and events:**

"next" ( $\geq 10$ )

**Events descriptions:**  
(>=10), else skip section

| <b>(Loop = how many events are in this level)</b>   |   |
|---|---|
| "New Event"   | (string) Event name   |
| "All super-puper!!!))))))"  | (string) Show message after start event (>=11)  |
| 0   | (unsigned int) Play sound number (0 is don't play sound) (>=14)                                       |
| 0   | (unsigned int) End game type (0 – none, or 1 – Bowser Defeat)(>=18)                                   |
| <b>↓ (loop 20 times = Show/hide/toggle layers lists)</b>  |   |
| "hideme1"   | (string) Hide layer   |
| "showme1"   | (string) Show layer   |
| "Toggleme1"   | (string) Toggle layer (>=14)  |
| <b>↑ (loop 20 times end)</b>  |   |
| Warning: In SMBX exist bug: if you add 21'st layer in any list, you will lose opportunity to delete layers from list. Max 21 layers |   |
| ""  | (string) Empty string (must by for SMBX)  |
| ""  | (string) Empty string (must by for SMBX)  |
| ""  | (string) Empty string (must by for SMBX) (>=14)   |
| <b>↓ (loop 21 times start (for each 21 sections) (&gt;=13)</b>  |   |
| -1  | (int) Set Music ([-1] don't change; [-2] default; or number of music)                                 |
| -1  | (int) Set Background ([-1] don't change; [-2] default; or # of back)                                  |
| -1  | (long) Set Position ([-1] don't change; [-2] default; or LEFT x coordinates for section=current loop) |
| 0   | (long) TOP y coordinates for section=current loop   |
| 0   | (long) BOTTOM y coordinates for section=current loop  |
| 0   | (long) RIGHT x coordinates for section=current loop   |
| <b>↑ (Loop 21 times end)</b>  |   |
| "Trigger event"   | (string) Trigger event (>=26)   |
| 1532  | (unsigned int) trigger delay in deciseconds. I. e. 153.2 sec(>=26)                                    |
| #FALSE#   | (bool) No Smoke (>=27)  |
| #FALSE#   | (bool) Hold ALT-JUMP player control (>=28)  |
| #FALSE#   | (bool) Hold ALT-RUN player control (>=28)   |
| #FALSE#   | (bool) Hold DOWN player control (>=28)  |
| #FALSE#   | (bool) Hold DROP player control (>=28)  |
| #FALSE#   | (bool) Hold JUMP player control (>=28)  |
| #FALSE#   | (bool) Hold LEFT player control (>=28)  |
| #FALSE#   | (bool) Hold RIGHT player control (>=28)   |
| #FALSE#   | (bool) Hold RUN player control (>=28)   |
| #FALSE#   | (bool) Hold START player control (>=28)   |
| #FALSE#   | (bool) Hold UP player control (>=28)  |
| #FALSE#   | (bool) Auto start (>=32)  |
| "MoveMe"  | (string) Layer name for movement (>=32)   |
| 0   | (float) Layer moving speed – horizontal (-Left/+Right) (>=32)   |
| 0   | (float) Layer moving speed – vertical (+Up/-Down)(>=32)   |
| 0   | (float) Move screen horizontal speed (-Left/+Right) (>=33)  |
| 0   | (float) Move screen vertical speed (+Up/-Down) (>=33)   |
| 0   | (int) Scroll section x, (in file value is x-1) (>=33)   |
| <b>(Loop end)</b>   |   |

--End of file--



## Attachments:

### Initial section left-top positions (Initial size of each section is 800x600 pixels)

| (Section Center) | Section (X and Y axis ranges) |
|------------------|-------------------------------|
| -200000          | <b>01</b> (-190000 : -219999) |
| -180000          | <b>02</b> (-170000 : -189999) |
| -160000          | <b>03</b> (-150000 : -189999) |
| -140000          | <b>04</b> (-130000 : -149999) |
| -120000          | <b>05</b> (-110000 : -129999) |
| -100000          | <b>06</b> (-90000 : -109999)  |
| -80000           | <b>07</b> (-70000 : -89999)   |
| -60000           | <b>08</b> (-50000 : -69999)   |
| -40000           | <b>09</b> (-30000 : -49999)   |
| -20000           | <b>10</b> (-10000 : -29999)   |
| 0000             | <b>11</b> (9999 : -9999)      |
| 20000            | <b>12</b> (10000 : 29999)     |
| 40000            | <b>13</b> (30000 : 49999)     |
| -60000           | <b>14</b> (50000 : 69999)     |
| 80000            | <b>15</b> (70000 : 89999)     |
| 100000           | <b>16</b> (90000 : 109999)    |
| 120000           | <b>17</b> (100000 : 129999)   |
| 140000           | <b>18</b> (130000 : 149999)   |
| 160000           | <b>19</b> (150000 : 169999)   |
| 180000           | <b>20</b> (170000 : 189999)   |
| 200000           | <b>21</b> (190000 : 209999)   |

### Background object Order Priority table

| Value | BGO ID list   | Comment                                     |
|-------|---|---|
| 10    | 14, 75, 76, 77, 78  | [background-2] Backgrounds                  |
| 20    | 11, 12, 60, 61  | SMB3 Goal zone                              |
| 25    | 66, 158, 159, 172   | [background-1] Waterfall                    |
| 26    | 26, 65, 82, 83, 164, 165, 166, 167, 168, 169  | Water                                       |
| 30    | 52, 79  | Blk. dungeon block,<br>Tree Trunk           |
| 75    | 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17, 18, 19, 20, 21,<br>22, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39,<br>40, 41, 42, 43, 44, 47, 53, 54, 55, 56, 57, 58, 59, 62,<br>63, 64, 67, 80, 81, 84, 85, 86, 89, 90, 91, 93, 94, 95,<br>96, 97, 98, 100, 101, 102, 103, 108, 109, 110, 111,<br>112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122,<br>123, 124, 125, 126, 127, 128, 132, 133, 134, 135, 136,<br>142, 144, 146, 147, 148, 149, 150, 151, 152, 153, 160,<br>161, 162, 163, 170, 171, 173, 174, 175, 176, 177, 178,<br>179, 180, 181, 182, 183, 184, 185, 186, 189, 190 | Most of BGOs                                |
| 76    | 129, 130, 131   | Wooden fence                                |
| 77    | 1   | Small bush                                  |
| 80    | 48, 139, 140  | Ghost house                                 |
| 90    | 70, 71, 72, 73, 74, 141   | Rails, Rail lift buffer,<br>Ghosthouse door |
| 98    | 87, 88, 92, 104, 105, 107   | Doors                                       |
| 99    | 99  | Glass window fragment                       |
| 125   | 23, 24, 25, 45, 46, 49, 50, 51, 68, 69, 106, 137, 138,<br>143, 145, 154, 155, 156, 157, 187, 188  | Foreground-1 BGOs                           |

How SMBX orders BGOs in a list: There's a mix of using hardcoded conditionals, but also some lookup from a table of boolean values, where this table of boolean values is only written once and not changed. Therefore in result BGOs are randomly sorting inside it's order group. Sort algorithm implementation inside SMBX is not stable, therefore every save results different order of BGO's.

PGE File Library orders BGOs by this order priorities table and by order of placement which gives a same result on every file save.

## BGO Priority and sorting source code

```
'finds where the backgrounds should be put to set drawing priority
Public Function BackgroundPri(A As Integer) As Double
'Lower Numbers get drawn first
With Background(A)
    If .Type = 11 Or .Type = 12 Or .Type = 60 Or .Type = 61 Then
        BackgroundPri = 20
    ElseIf .Type = 65 Or .Type = 26 Or .Type = 82 Or .Type = 83 Or _
        .Type = 164 Or .Type = 165 Or .Type = 166 Or .Type = 167 Or _
        .Type = 168 Or .Type = 169 Then 'WATER
        BackgroundPri = 26
    ElseIf .Type = 168 Or .Type = 159 Or .Type = 172 Or .Type = 66 Or .Type = 158 Then
        BackgroundPri = 25 'WATER FALLS
    ElseIf .Type = 75 Or .Type = 76 Or .Type = 77 Or .Type = 78 Or .Type = 14 Then
        BackgroundPri = 10
    ElseIf .Type = 79 Or .Type = 52 Then
        BackgroundPri = 30
    ElseIf .Type = 70 Or .Type = 71 Or .Type = 72 Or _
        .Type = 73 Or .Type = 74 Or .Type = 141 Then
        BackgroundPri = 90
    ElseIf .Type = 139 Or .Type = 140 Or .Type = 48 Then
        BackgroundPri = 80
    ElseIf .Type = 65 Or .Type = 165 Then
        BackgroundPri = 150
    ElseIf Foreground(.Type) = True Then
        BackgroundPri = 125
    ElseIf .Type = 66 Then
        BackgroundPri = 50
    ElseIf .Type = 99 Then
        BackgroundPri = 99 'Always doors + 1
    ElseIf .Type = 87 Or .Type = 88 Or .Type = 92 Or .Type = 107 Or _
        .Type = 105 Or .Type = 104 Then 'Doors
        BackgroundPri = 98
    ElseIf .Type >= 129 And .Type <= 131 Then
        BackgroundPri = 76
    ElseIf .Type = 1 Then
        BackgroundPri = 77
    Else
        BackgroundPri = 75
    End If
    BackgroundPri = BackgroundPri + Background(A).Location.X / 10000000
End With
End Function

Public Sub BackgroundSort()
    Dim A As Integer
    Dim B As Integer
    Dim tempBackground As Background
    Dim sortAgain As Boolean
    Do
        sortAgain = False
        For A = 1 To numBackground
            For B = 1 To numBackground
                If B <> A Then
                    If BackgroundPri(A) < BackgroundPri(B) And A > B Then
                        tempBackground = Background(A)
                        Background(A) = Background(B)
                        Background(B) = tempBackground
                        sortAgain = True
                    End If
                End If
            Next B
        Next A
    Loop While sortAgain = True
End Sub

Public Sub qSortBackgrounds(min As Integer, max As Integer) 'quicksort the backgrounds
    Dim medBackground As Background
    Dim medBackgroundPri
    Dim hi As Integer
    Dim lo As Integer
    Dim i As Integer
    If min >= max Then Exit Sub
    i = Int((max + min) / 2)
    medBackground = Background(i)
    medBackgroundPri = BackgroundPri(i)
    Background(i) = Background(min)
    lo = min
    hi = max
    Do
        Do While BackgroundPri(hi) >= medBackgroundPri
            hi = hi - 1
            If hi <= lo Then Exit Do
        Loop
        If hi <= lo Then
            Background(lo) = medBackground
            Exit Do
        End If
    Loop
```

```
End If
Background(lo) = Background(hi)
lo = lo + 1
Do While BackGroundPri(lo) < medBackgroundPri
  lo = lo + 1
  If lo >= hi Then Exit Do
Loop
If lo >= hi Then
  lo = hi
  Background(hi) = medBackground
  Exit Do
End If
Background(hi) = Background(lo)
Loop
qSortBackgrounds min, lo - 1
qSortBackgrounds lo + 1, max
End Sub
```